

A photograph of two female workers in white hard hats and dark jackets looking at a laptop. In the background, an oil pumpjack is visible against a bright yellow sky. The entire image has a yellow tint.

COMPANY PROFILE 2024

Zetco

OIL & GAZ TRADING
WWW.ZETCO-KW.COM

About us:

Zetco Factory, based in Kuwait, is a versatile manufacturing, trading, and supplying company tailored to serve diverse industries worldwide. Specializing in the production of essential substances such as white spirit, turpentine oil, light oil, mineral oil, heavy oil, anti-collision products, refrigerants, antifreeze products, and other crucial liquids used in hydraulic fiber transmission, as well as compound chemical reagents for laboratories and diagnostics.

Registered commercial register no. 241455 and licensed by the Ministry of Commerce & Industry (License No. 472400) since December 13, 2022, Zetco Factory is dedicated to meeting industry needs with quality and compliance at the forefront of its operations.





Our Vision:

At Zetco, we are seeking to be the premier provider of essential substances, trusted by industries globally for our commitment to quality, innovation, and sustainability.

With a focus on meeting the diverse needs of every sector, we aim to drive progress and excellence in manufacturing, trading, and supplying, setting the standard for industry solutions and enriching communities worldwide.



Our mission





Our Mission:

Our mission is to deliver quality products and services and satisfy the requirements of each client in an efficient, business-like, and friendly manner.

We strive to create a mutually beneficial environment for our Clients and Principals by providing high-added-value services and innovative solutions while maintaining our high standards of integrity and professionalism and constantly improving the quality of our work and services.



Our Values:

We strive to create a mutually beneficial environment for our Clients and Principals by providing high-added-value services and innovative solutions while maintaining our high standards of integrity and professionalism and constantly improving the quality of our work and services.



Industries Our Products:

Zetco's products are essential across various industries.

- Automotive:**

Our solvents and thinners contribute to manufacturing and maintenance processes.

- Specialty Chemicals:**

Zetco's compounds play a crucial role in formulating innovative solutions.


- Paint Industry:**

Essential substances from Zetco facilitate the creation of vibrant coatings and finishes.

- Industrial Laundry:**

Our products ensure optimal cleaning performance in commercial settings.


Zetco continues to be a trusted partner, providing high-quality solutions across various industries worldwide.



Refinery:

Zetco on the stage of schedule the work for the state-of-the-art grassroots refinery. Located Kuwait and Hamriyah free zone phase 2, Sharjah UAE. Close proximity to existing port infrastructure. Primary focus will be refining the crude oil.

This venture is targeted to produce a range of fuels and valuable semiproductions. Essential markets will encompass the Middle East, Africa, and Asia with an eye towards expanding into the European sector.



Tank Frame Storage:


Zetco is set to build a new Tank Farm in Hamriah free zone phase 2, Sharjah UAE. The new Tank Farm will be situated alongside an existing Tank Farm.

The existing Tank Farm is a 17 tanks with a total capacity of 43,616 cubic meters allocated on the plot of 65,000 square meters. An additional plot area of 100,000 square meters with a focus on enhancing the facility's storage capacity. The primary goal is to achieve a total storage capacity of 600,000 cubic meters. The Tank Farm is exclusively designated for import, export, and blending.

The facility services cover storage, handling, repackaging, and related solutions specifically designed for petrochemicals.

The list of products are:

- Naphtha
- Diesel
- Gasoline
- Crude oil



Existing Layout:

Total of 17 tanks were identified in the tankfarm area with capacities as given below. The tanks are manufactured as per API 650 in the year 2018. 15 nos. of tanks are made of Carbon Steel (ASTM A 36) and 2 nos. of tanks are made of Stainless Steel.

Tank Capacities:

- 10 X 1,768 cubic meters (2 Stainless Steel tanks)
- 5 X 2,896 cubic meters
- 2 X 5,728 cubic meters

Total capacity 43,616 cubic meters

MSDS



Zetco Factory

مصنع زيتكو

ZITCO
For manufacturing of anti-collision preparations
and antifriction liquid preparations
www.Zetco.com info@Zetco.com

Material Safety Data Sheet
Mineral oil MSDS

Section 1: Chemical Product and Company Identification

Product Name: ZITCO
Trade Name: ZITCO (MSDS)
Address: ZITCO, P.O. Box 1000, Doha, Qatar
Phone: +974 4411 1111
Fax: +974 4411 1111
E-mail: info@zetco.com
Website: www.zetco.com

Section 2: Composition and information on ingredients

Ingredient	Concentration	% by Weight
Mineral Oil	100%	100

This product does not contain any hazardous ingredients.

Section 3: Hazards Identification

Hazardous Substances: None
Physical Hazards: None
Health Hazards: None
Environmental Hazards: None

Section 4: First Aid Measures

Inhalation: If inhaled, move to fresh air. If symptoms persist, seek medical attention.
Eye Contact: Flush eyes with water for 15 minutes. Seek medical attention.
Skin Contact: Wash with soap and water. If irritation persists, seek medical attention.
Ingestion: Do not induce vomiting. Seek medical attention.

Section 5: Fire Fighting Measures

Flammable: Yes
Flash Point: 100°C
Auto-ignition Temperature: 250°C
Extinguishing Media: Water, foam, dry powder, CO2
Special Hazards: None

Section 6: Accidental Release Measures

Spill/Leak: Contain and clean up immediately. Dispose of waste properly.
Disposal: Dispose of waste in accordance with local regulations.

99719525 - 99526140 - 99995888 - 665449054 - 50270404

Zetco solvent@gmail.com منطقة الاحمدي قطرة 50



Zetco Factory

مصنع زيتكو

ZITCO
For manufacturing of anti-collision preparations
and antifriction liquid preparations
www.Zetco.com info@Zetco.com

Material Safety Data Sheet
Mineral oil MSDS

Section 1: Chemical Product and Company Identification

Product Name: ZITCO
Trade Name: ZITCO (MSDS)
Address: ZITCO, P.O. Box 1000, Doha, Qatar
Phone: +974 4411 1111
Fax: +974 4411 1111
E-mail: info@zetco.com
Website: www.zetco.com

Section 2: Composition and information on ingredients

Ingredient	Concentration	% by Weight
Mineral Oil	100%	100

This product does not contain any hazardous ingredients.

Section 3: Hazards Identification

Hazardous Substances: None
Physical Hazards: None
Health Hazards: None
Environmental Hazards: None

Section 4: First Aid Measures

Inhalation: If inhaled, move to fresh air. If symptoms persist, seek medical attention.
Eye Contact: Flush eyes with water for 15 minutes. Seek medical attention.
Skin Contact: Wash with soap and water. If irritation persists, seek medical attention.
Ingestion: Do not induce vomiting. Seek medical attention.

Section 5: Fire Fighting Measures

Flammable: Yes
Flash Point: 100°C
Auto-ignition Temperature: 250°C
Extinguishing Media: Water, foam, dry powder, CO2
Special Hazards: None

Section 6: Accidental Release Measures

Spill/Leak: Contain and clean up immediately. Dispose of waste properly.
Disposal: Dispose of waste in accordance with local regulations.

99719525 - 99526140 - 99995888 - 665449054 - 50270404

Zetco solvent@gmail.com منطقة الاحمدي قطرة 50



Zetco Factory

مصنع زيتكو

ZITCO
For manufacturing of anti-collision preparations
and antifriction liquid preparations
www.Zetco.com info@Zetco.com

Material Safety Data Sheet
Mineral oil MSDS

Section 1: Chemical Product and Company Identification

Product Name: ZITCO
Trade Name: ZITCO (MSDS)
Address: ZITCO, P.O. Box 1000, Doha, Qatar
Phone: +974 4411 1111
Fax: +974 4411 1111
E-mail: info@zetco.com
Website: www.zetco.com

Section 2: Composition and information on ingredients

Ingredient	Concentration	% by Weight
Mineral Oil	100%	100

This product does not contain any hazardous ingredients.

Section 3: Hazards Identification

Hazardous Substances: None
Physical Hazards: None
Health Hazards: None
Environmental Hazards: None

Section 4: First Aid Measures

Inhalation: If inhaled, move to fresh air. If symptoms persist, seek medical attention.
Eye Contact: Flush eyes with water for 15 minutes. Seek medical attention.
Skin Contact: Wash with soap and water. If irritation persists, seek medical attention.
Ingestion: Do not induce vomiting. Seek medical attention.

Section 5: Fire Fighting Measures


Flammable: Yes
Flash Point: 100°C
Auto-ignition Temperature: 250°C
Extinguishing Media: Water, foam, dry powder, CO2
Special Hazards: None

Section 6: Accidental Release Measures

Spill/Leak: Contain and clean up immediately. Dispose of waste properly.
Disposal: Dispose of waste in accordance with local regulations.

99719525 - 99526140 - 99995888 - 665449054 - 50270404

Zetco solvent@gmail.com منطقة الاحمدي قطرة 50



شركة زيتكو

99719525 - 99995888
Zetco@gmail.com

MATERIAL SAFETY DATA SHEET

Printed date: 25/01/2025

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: LOW AROMATIC WHITE SPIRIT - 35070100
Synonyms: None
Applications: General purpose cleaner, de-greaser & solvent for oil-based paints.
Supplier: ZETCO SOLVENT FACTORY
Block A, Street 336, Complex 10, Zetco Solvent Factory, East Almudi
Kuwait

Emergency Tel No: 0995 9999525

2. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a complex mixture of hydrocarbons and mineral oils.

COMPONENTS

Component	CAS No.	Amount
Highly refined hydrocarbons	8042-47-5	100% by weight

3. HAZARDS IDENTIFICATION

Statement of hazardous nature: None
Health Hazards: None
Environmental Hazards: None
Physical Hazards: None

4. FIRST AID MEASURES

EYE CONTACT: Flush eyes with water for 15 minutes. Seek medical attention.
SKIN CONTACT: Wash with soap and water. If irritation persists, seek medical attention.
INGESTION: Do not induce vomiting. Seek medical attention.

5. FIRE FIGHTING MEASURES

Flammable: Yes
Flash Point: 100°C
Auto-ignition Temperature: 250°C
Extinguishing Media: Water, foam, dry powder, CO2
Special Hazards: None

6. ACCIDENTAL RELEASE MEASURES

Spill/Leak: Contain and clean up immediately. Dispose of waste properly.
Disposal: Dispose of waste in accordance with local regulations.

7. TRANSPORT INFORMATION

UN Number: 1204
Proper Shipping Name: Petroleum Distillate
Hazard Class: 3
Packaging Group: II

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Controls: None
Personal Protective Equipment: None
Respiratory Protection: None
Eye Protection: None
Hand Protection: None
Foot Protection: None
Other Protective Measures: None

9. PHYSICAL AND CHEMICAL PROPERTIES


Property	Value
Appearance	Colorless, clear and light
Odour	None
Flash Point	100°C (350°F)
Auto-ignition Temperature	250°C
Extinguishing Media	Water, foam, dry powder, CO2
Stability	Stable
Reactivity	None

10. STABILITY AND REACTIVITY

Stability: Stable
Reactivity: None
Conditions for Safe Storage: Store in a cool, dry place. Keep away from heat and sources of ignition.

99719525 - 99526140 - 99995888 - 665449054 - 50270404

Zetco solvent@gmail.com منطقة الاحمدي قطرة 50



شركة زيتكو

99719525 - 99995888
Zetco@gmail.com

MATERIAL SAFETY DATA SHEET

Printed date: 25/01/2025

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: LOW AROMATIC WHITE SPIRIT - 35070100
Synonyms: None
Applications: General purpose cleaner, de-greaser & solvent for oil-based paints.
Supplier: ZETCO SOLVENT FACTORY
Block A, Street 336, Complex 10, Zetco Solvent Factory, East Almudi
Kuwait

Emergency Tel No: 0995 9999525

2. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a complex mixture of hydrocarbons and mineral oils.

COMPONENTS

Component	CAS No.	Amount
Highly refined hydrocarbons	8042-47-5	100% by weight

3. HAZARDS IDENTIFICATION

Statement of hazardous nature: None
Health Hazards: None
Environmental Hazards: None
Physical Hazards: None

4. FIRST AID MEASURES

EYE CONTACT: Flush eyes with water for 15 minutes. Seek medical attention.
SKIN CONTACT: Wash with soap and water. If irritation persists, seek medical attention.
INGESTION: Do not induce vomiting. Seek medical attention.

5. FIRE FIGHTING MEASURES

Flammable: Yes
Flash Point: 100°C
Auto-ignition Temperature: 250°C
Extinguishing Media: Water, foam, dry powder, CO2
Special Hazards: None

6. ACCIDENTAL RELEASE MEASURES

Spill/Leak: Contain and clean up immediately. Dispose of waste properly.
Disposal: Dispose of waste in accordance with local regulations.

7. TRANSPORT INFORMATION

UN Number: 1204
Proper Shipping Name: Petroleum Distillate
Hazard Class: 3
Packaging Group: II

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Controls: None
Personal Protective Equipment: None
Respiratory Protection: None
Eye Protection: None
Hand Protection: None
Foot Protection: None
Other Protective Measures: None

9. PHYSICAL AND CHEMICAL PROPERTIES


Property	Value
Appearance	Colorless, clear and light
Odour	None
Flash Point	100°C (350°F)
Auto-ignition Temperature	250°C
Extinguishing Media	Water, foam, dry powder, CO2
Stability	Stable
Reactivity	None

10. STABILITY AND REACTIVITY

Stability: Stable
Reactivity: None
Conditions for Safe Storage: Store in a cool, dry place. Keep away from heat and sources of ignition.

99719525 - 99526140 - 99995888 - 665449054 - 50270404

Zetco solvent@gmail.com منطقة الاحمدي قطرة 50



شركة زيتكو

99719525 - 99995888
Zetco@gmail.com

MATERIAL SAFETY DATA SHEET

Printed date: 25/01/2025

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: LOW AROMATIC WHITE SPIRIT - 35070100
Synonyms: None
Applications: General purpose cleaner, de-greaser & solvent for oil-based paints.
Supplier: ZETCO SOLVENT FACTORY
Block A, Street 336, Complex 10, Zetco Solvent Factory, East Almudi
Kuwait

Emergency Tel No: 0995 9999525

2. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a complex mixture of hydrocarbons and mineral oils.

COMPONENTS

Component	CAS No.	Amount
Highly refined hydrocarbons	8042-47-5	100% by weight

3. HAZARDS IDENTIFICATION

Statement of hazardous nature: None
Health Hazards: None
Environmental Hazards: None
Physical Hazards: None

4. FIRST AID MEASURES

EYE CONTACT: Flush eyes with water for 15 minutes. Seek medical attention.
SKIN CONTACT: Wash with soap and water. If irritation persists, seek medical attention.
INGESTION: Do not induce vomiting. Seek medical attention.

5. FIRE FIGHTING MEASURES

Flammable: Yes
Flash Point: 100°C
Auto-ignition Temperature: 250°C
Extinguishing Media: Water, foam, dry powder, CO2
Special Hazards: None

6. ACCIDENTAL RELEASE MEASURES

Spill/Leak: Contain and clean up immediately. Dispose of waste properly.
Disposal: Dispose of waste in accordance with local regulations.

7. TRANSPORT INFORMATION

UN Number: 1204
Proper Shipping Name: Petroleum Distillate
Hazard Class: 3
Packaging Group: II

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Controls: None
Personal Protective Equipment: None
Respiratory Protection: None
Eye Protection: None
Hand Protection: None
Foot Protection: None
Other Protective Measures: None

9. PHYSICAL AND CHEMICAL PROPERTIES

Property	Value
Appearance	Colorless, clear and light
Odour	None
Flash Point	100°C (350°F)
Auto-ignition Temperature	250°C
Extinguishing Media	Water, foam, dry powder, CO2
Stability	Stable
Reactivity	None

10. STABILITY AND REACTIVITY

Stability: Stable
Reactivity: None
Conditions for Safe Storage: Store in a cool, dry place. Keep away from heat and sources of ignition.

99719525 - 99526140 - 99995888 - 665449054 - 50270404

Zetco solvent@gmail.com منطقة الاحمدي قطرة 50

<h1 style="text-align: center;">Zetco Factory</h1> <div style="text-align: center;">  <p>ZETCO</p> <p>For manufacturing of oil-refining preparations and industrial liquid products</p> <p>00962 312 210000 00962 312 210001 info@zetco.jordan.gov.jo</p> <p>SAFETY DATA SHEET</p> <p>White Spirit</p> </div>			
<p>1. IDENTIFICATION OF THE SUBSTANCE/ PREPARATION AND OF THE COMPANY/ UNDERTAKING</p>			
<p>PRODUCT NAME</p> <p>WHITE SPIRIT</p> <p>APPLICATION</p> <p>For heating liquid, degreasing, heat maintenance, etc.</p> <p>SUPPLIER</p> <p>ZETCO for manufacturing of oil-refining preparations and industrial liquid preparations</p> <p>www.zetco-jordan.gov.jo info@zetco-jordan.gov.jo</p>	<p>UNIQUE IDENTIFIER</p> <p>49633073525</p>		
<p>EMERGENCY TELEPHONE</p> <p>00962 312 210000</p>			
<p>2. HAZARDOUS IDENTIFICATION</p> <p>CLASSIFICATION (GHS): CLASSIFICATION (EC) 1073/0008</p>			
<p>LABEL IN ACCORDANCE WITH (EC) 1073/0008</p>			
<table border="0" style="width: 100%;"> <tr> <td style="width: 50%; vertical-align: top;"> <p>Physical and Chemical</p> <p>Appearance: Colorless</p> <p>Odor: Characteristic</p> <p>Evaporation: Evaporates</p> <p>Stability: Stable</p> </td> <td style="width: 50%; vertical-align: top;"> <p>Flash Lk. 3 - 103°C</p> <p>FLAMMABLE (H228) (H252) (H253)</p> <p>Aggravable (H260) (H261)</p> </td> </tr> </table>		<p>Physical and Chemical</p> <p>Appearance: Colorless</p> <p>Odor: Characteristic</p> <p>Evaporation: Evaporates</p> <p>Stability: Stable</p>	<p>Flash Lk. 3 - 103°C</p> <p>FLAMMABLE (H228) (H252) (H253)</p> <p>Aggravable (H260) (H261)</p>
<p>Physical and Chemical</p> <p>Appearance: Colorless</p> <p>Odor: Characteristic</p> <p>Evaporation: Evaporates</p> <p>Stability: Stable</p>	<p>Flash Lk. 3 - 103°C</p> <p>FLAMMABLE (H228) (H252) (H253)</p> <p>Aggravable (H260) (H261)</p>		
<table border="0" style="width: 100%;"> <tr> <td style="width: 50%; vertical-align: top;"> <p>Environmental</p> <p>Ecotoxicity: Very toxic to aquatic life</p> <p>Biodegradability: Biodegradable</p> </td> <td style="width: 50%; vertical-align: top;"> <p>Very toxic to aquatic life (H400) (H410)</p> <p>Very toxic to aquatic life (H411)</p> </td> </tr> </table>		<p>Environmental</p> <p>Ecotoxicity: Very toxic to aquatic life</p> <p>Biodegradability: Biodegradable</p>	<p>Very toxic to aquatic life (H400) (H410)</p> <p>Very toxic to aquatic life (H411)</p>
<p>Environmental</p> <p>Ecotoxicity: Very toxic to aquatic life</p> <p>Biodegradability: Biodegradable</p>	<p>Very toxic to aquatic life (H400) (H410)</p> <p>Very toxic to aquatic life (H411)</p>		
<table border="0" style="width: 100%;"> <tr> <td style="width: 50%; vertical-align: top;"> <p>Prevention</p> <p>Hydrocarbons: CH2, alcohols, ketones, esters, amines (2-29)(3-2)(4-2)</p> </td> <td style="width: 50%; vertical-align: top;"> <p>Flammable liquid and vapour</p> <p>May be flammable and enters atmosphere</p> <p>May cause drowsiness or dizziness</p> <p>Toxic to aquatic life with long lasting effects</p> </td> </tr> </table>		<p>Prevention</p> <p>Hydrocarbons: CH2, alcohols, ketones, esters, amines (2-29)(3-2)(4-2)</p>	<p>Flammable liquid and vapour</p> <p>May be flammable and enters atmosphere</p> <p>May cause drowsiness or dizziness</p> <p>Toxic to aquatic life with long lasting effects</p>
<p>Prevention</p> <p>Hydrocarbons: CH2, alcohols, ketones, esters, amines (2-29)(3-2)(4-2)</p>	<p>Flammable liquid and vapour</p> <p>May be flammable and enters atmosphere</p> <p>May cause drowsiness or dizziness</p> <p>Toxic to aquatic life with long lasting effects</p>		
<table border="0" style="width: 100%;"> <tr> <td style="width: 50%; vertical-align: top;"> <p>Personal Protective Equipment (PPE)</p> <p>Eye/face protection: Wear eye protection</p> <p>Hand protection: Wear protective gloves</p> <p>Respiratory protection: Wear respiratory protection</p> <p>Protective clothing: Wear protective clothing</p> </td> <td style="width: 50%; vertical-align: top;"> <p>Keep away from open flames and hot surfaces. No smoking.</p> <p>Use protective clothing/protective equipment/procedures</p> <p>Use only when in a well-ventilated area.</p> <p>Avoid release to the environment.</p> </td> </tr> </table>		<p>Personal Protective Equipment (PPE)</p> <p>Eye/face protection: Wear eye protection</p> <p>Hand protection: Wear protective gloves</p> <p>Respiratory protection: Wear respiratory protection</p> <p>Protective clothing: Wear protective clothing</p>	<p>Keep away from open flames and hot surfaces. No smoking.</p> <p>Use protective clothing/protective equipment/procedures</p> <p>Use only when in a well-ventilated area.</p> <p>Avoid release to the environment.</p>
<p>Personal Protective Equipment (PPE)</p> <p>Eye/face protection: Wear eye protection</p> <p>Hand protection: Wear protective gloves</p> <p>Respiratory protection: Wear respiratory protection</p> <p>Protective clothing: Wear protective clothing</p>	<p>Keep away from open flames and hot surfaces. No smoking.</p> <p>Use protective clothing/protective equipment/procedures</p> <p>Use only when in a well-ventilated area.</p> <p>Avoid release to the environment.</p>		
<p style="text-align: right;">in accordance with local regulations</p>			



Zetco Factory



White Spirit



مصنع زيتكو



10 STABILITY AND REACTIVITY
<p>STABILITY Stable under normal conditions of storage and use. See section 7.</p> <p>CONDITIONS TO AVOID Avoid contact with acids and oxidizing substances. Avoid heat, flames and other sources of ignition.</p> <p>HAZARDOUS DECOMPOSITION PRODUCTS Fumes or incandescent heat may give off toxic fumes and gases. Decomposition products may include carbon monoxide (CO) and carbon dioxide (CO2).</p>
11 TOXICOLOGICAL INFORMATION
<p>IRITATION TONIC DROPS 1 - LO 50 - +000 mg/kg (oral rat) TONIC DROPS 2 - LO 50 - +000 mg/kg (dermal rabbit)</p> <p>INHALATION May cause headache, dizziness, drowsiness and nausea. Prolonged inhalation of high concentrations may damage olfactory mucous membranes and may cause abnormal palatal reflexes. Absorption can cause respiratory, irritation and pulmonary oedema.</p> <p>SKIN CONTACT Irritation.</p> <p>Harmful if swallowed because can cause severe irritation of mucous membranes and the respiratory tract. Liquid irritates mucous membranes and may cause abnormal palatal reflexes. Absorption can cause respiratory, irritation and pulmonary oedema.</p> <p>EYE CONTACT Acts as a irritating agent on skin. May cause cracking of skin, and eczema. Prolonged or repeated exposure may cause severe irritation.</p> <p>ENVIRONMENTAL The product causes irritation of mucous membranes and may cause behavioural disorder if swallowed.</p>
12 ECOLOGICAL INFORMATION
<p>ECOTOXICITY Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. This material should not be allowed into drains, sewers or other water courses.</p> <p>LC50, 96 hrs, <i>Daphnia magna</i>, mg/l - 10 LC50, 96 hrs, <i>Algae</i>, mg/l - 10 LC 50, 96 hrs, <i>A. Naupaei</i>, mg/l - 10</p>

99719525 - 99526140 - 99995888 - 665449054 - 50270404

Zetcovent@zetco.com

منطقة الجديدة قطرة - القاهرة 50

<h1 style="margin: 0;">Zetco Factory</h1>		<h1 style="margin: 0;">مصنع زيتكو</h1>																																										
<p>MOBILITY Moderately viscous liquid which spread given a large surface area of water. The product has limited mobility in air but will slowly evaporate from the surface. BIOACCUMULATION Bioaccumulation is unlikely to be significant because of the low water solubility of the product. DECOMPOSABILITY Finally biodegradable.</p>																																												
<p>13 DISPOSAL CONSIDERATIONS</p> <p>GENERAL INFORMATION Empty containers may contain residual product and flammable vapours. Keep away from sparks, heat and sources of ignition. Labels should not be removed. Product is hazardous waste. Do not allow into drains, sewers or water courses. Dispose by the means of a licensed waste contractor.</p> <p>DISPOSAL METHODS Dispose of waste and residues in accordance with local authority requirements. Do NOT incinerate the container unless wholly empty.</p> <p>WASTE CLASS DKG 09/10/11 Hazardous Part 2 (Hazardous)</p>																																												
<p>14 TRANSPORT INFORMATION</p>																																												
<div style="display: flex; justify-content: space-around; align-items: center;">   </div>																																												
<table border="0" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">PROPER SHIPPING NAME</td> <td style="width: 33%;">FLUOROPOLYMER SUBSTITUTES (Other Solids)</td> <td style="width: 33%;"></td> </tr> <tr> <td>UN NO. RIDAD</td> <td>1300</td> <td></td> </tr> <tr> <td>ADR CLASS NO.</td> <td>3</td> <td></td> </tr> <tr> <td>ADR CLASS</td> <td>Class 3 Flammable liquids</td> <td></td> </tr> <tr> <td>ADR PACK GROUP</td> <td></td> <td></td> </tr> <tr> <td>TUNAGEL RESTRICTION CODE</td> <td>(00E)</td> <td></td> </tr> <tr> <td>HANAGEL No. (ADR)</td> <td></td> <td></td> </tr> <tr> <td>ADR LABEL NO.</td> <td>3</td> <td></td> </tr> <tr> <td>ADR REVIEW CODE</td> <td>3F</td> <td></td> </tr> <tr> <td>UN RES. SEA</td> <td>1300</td> <td></td> </tr> <tr> <td>IMCO CLASS</td> <td>3</td> <td></td> </tr> <tr> <td>IMCO PACK GR.</td> <td>III</td> <td></td> </tr> <tr> <td>TEMP.</td> <td>15, 0, 5, 6</td> <td></td> </tr> <tr> <td>WMS</td> <td>3</td> <td></td> </tr> </table>			PROPER SHIPPING NAME	FLUOROPOLYMER SUBSTITUTES (Other Solids)		UN NO. RIDAD	1300		ADR CLASS NO.	3		ADR CLASS	Class 3 Flammable liquids		ADR PACK GROUP			TUNAGEL RESTRICTION CODE	(00E)		HANAGEL No. (ADR)			ADR LABEL NO.	3		ADR REVIEW CODE	3F		UN RES. SEA	1300		IMCO CLASS	3		IMCO PACK GR.	III		TEMP.	15, 0, 5, 6		WMS	3	
PROPER SHIPPING NAME	FLUOROPOLYMER SUBSTITUTES (Other Solids)																																											
UN NO. RIDAD	1300																																											
ADR CLASS NO.	3																																											
ADR CLASS	Class 3 Flammable liquids																																											
ADR PACK GROUP																																												
TUNAGEL RESTRICTION CODE	(00E)																																											
HANAGEL No. (ADR)																																												
ADR LABEL NO.	3																																											
ADR REVIEW CODE	3F																																											
UN RES. SEA	1300																																											
IMCO CLASS	3																																											
IMCO PACK GR.	III																																											
TEMP.	15, 0, 5, 6																																											
WMS	3																																											
<p>AIR CLASS</p>																																												

Zetco Factory



White Spirit

مصنع زيتكو

Certificate AE23/00000165



The management system of
ZITCO FACTORY FOR OIL RECYCLE

East Ahmedi, Block 6, Building # 50, Kuwait
has been assessed and certified as meeting the requirements of
ISO 14001:2015

For the following activities
Recycling of used oil and production of petroleum solvent products.

This certificate is valid from 15 May 2023 until 15 May 2026 and remains valid subject to satisfactory surveillance audits.
Issue 1, Certified since 15 May 2023

Jonathan Hall

Authorized by
Jonathan Hall
Global Head - Certification Services
SGS United Kingdom Ltd
Rosemore Business Park, Ellesmere Port, Cheshire, CH65 3EN, UK
t +44 (0)151 350-6666 - www.sgs.com



This document is an authentic electronic certificate for Client business purposes use only. Printed version of the electronic certificate are permitted and will be considered as a copy.
This document is issued by the Company subject to SGS General Conditions of certification services available on Terms and Conditions (SGS). Attention is drawn to the limitation of liability, indemnification and jurisdictional clauses contained therein. This document is copyright protected and any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful.

Page 1 / 1

Certificate AE23/00000164



The management system of
ZITCO FACTORY FOR OIL RECYCLE

East Ahmedi, Block 6, Building # 50, Kuwait
has been assessed and certified as meeting the requirements of
ISO 9001:2015

For the following activities
Recycling of used oil and production of petroleum solvent products.

This certificate is valid from 15 May 2023 until 15 May 2026 and remains valid subject to satisfactory surveillance audits.
Issue 1, Certified since 15 May 2023

Jonathan Hall

Authorized by
Jonathan Hall
Global Head - Certification Services
SGS United Kingdom Ltd
Rosemore Business Park, Ellesmere Port, Cheshire, CH65 3EN, UK
t +44 (0)151 350-6666 - www.sgs.com



This document is an authentic electronic certificate for Client business purposes use only. Printed version of the electronic certificate are permitted and will be considered as a copy.
This document is issued by the Company subject to SGS General Conditions of certification services available on Terms and Conditions (SGS). Attention is drawn to the limitation of liability, indemnification and jurisdictional clauses contained therein. This document is copyright protected and any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful.

Page 1 / 1

Certificate AE23/00000166



The management system of
ZITCO FACTORY FOR OIL RECYCLE

East Ahmedi, Block 6, Building # 50, Kuwait
has been assessed and certified as meeting the requirements of
ISO 45001:2018

For the following activities
Recycling of used oil and production of petroleum solvent products.

This certificate is valid from 15 May 2023 until 15 May 2026 and remains valid subject to satisfactory surveillance audits.
Issue 1, Certified since 15 May 2023

Jonathan Hall

Authorized by
Jonathan Hall
Global Head - Certification Services
SGS United Kingdom Ltd
Rosemore Business Park, Ellesmere Port, Cheshire, CH65 3EN, UK
t +44 (0)151 350-6666 - www.sgs.com



This document is an authentic electronic certificate for Client business purposes use only. Printed version of the electronic certificate are permitted and will be considered as a copy.
This document is issued by the Company subject to SGS General Conditions of certification services available on Terms and Conditions (SGS). Attention is drawn to the limitation of liability, indemnification and jurisdictional clauses contained therein. This document is copyright protected and any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful.

Page 1 / 1

OUR CLIENTS:





OIL & GAZ TRADING
WWW.ZETCO-KW.COM